

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	kim-charles.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:56
S2	0	kim-charles-d.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:28
S3	0	kim-charlesd.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:28
S4	0	kim-charles-d.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:28
S5	173	kim-c-d.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:29
S6	0	kim-char\$d.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:29
S7	35	kim-charles-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:32
S8	0	"29203700".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:33
S9	0	("29203700").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 10:33

S10	297	end and caps and level and "33"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:44
S11	97	end adj caps and level and "33"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:44
S12	79	end adj caps and level and "33"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:56
S17	30	(impact shock) with absorbing with caps and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:23
S18	13	((("6,675,490") or ("6,418,634") or ("5, 709,034") or ("5,479,717") or ("5,412, 876") or ("5,199,177") or ("5,165, 650") or ("4,979,310") or ("3,225, 451") or ("3,003,054") or ("2,879, 606") or ("2,383,166") or ("1,690, 053"))).PN.	USPAT	OR	OFF	2005/01/03 12:36
S19	1	("5479717").PN.	USPAT	OR	OFF	2005/01/03 12:26
S20	1	("4991303").PN.	USPAT	OR	OFF	2005/01/03 12:37
S22	87	protective near end near cap and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:41
S23	59	protective near end near cap and level and (rubber plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:46
S24	7	((("5,169,201") or ("4,748,780") or ("5, 605,238") or ("D405194") or ("4,314, 892") or ("4,730,425") or ("3,531, 855"))).PN.	USPAT	OR	OFF	2005/01/03 13:31
S25	7	((("1,277,319") or ("2,928,201") or ("3, 451,169") or ("4,443,508") or ("4,496, 029") or ("5,280,692") or ("5,479, 750"))).PN.	USPAT	OR	OFF	2005/01/03 12:55

S28	3768	abs and (thermoplastic rubber) and cap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:32
S29	7	abs with (thermoplastic rubber) with cap and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:34
S30	0	abs with (thermoplastic adj rubber) with cap and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:34
S31	0	abs and (thermoplastic adj rubber) with cap and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:34
S32	6	abs and (thermoplastic adj rubber) with (cap end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:37
S33	1877	abs and (rubber) with (cap end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:37
S34	718	abs and (rubber) with (cap end) and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:37
S35	4	abs and (rubber) with (cap end) and level and "33"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:38

S36	0	abs and (rubber) with (end adj cap) and level and "33"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:38
S37	30	abs and (rubber) with (end adj cap) and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:38
S38	42	abs and (rubber) with (end adj cap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:42
S39	2	abs with (rubber) with (end adj cap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:01
S40	367	(49/9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:48
S41	33	layer and (plastic abs) with (thermoplastic rubber) and level and "49"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:07
S42	3	layer and (plastic abs) with (thermoplastic rubber) and level and cap and "49"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:08
S44	2555	(33/451,379,377,365,755,761,771).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:58

S45	139	(impact shock) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:58
S46	78	(impact shock) and (plastic abs) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:21
S48	16	impact and plastic and rubber and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:23
S49	77	plastic and rubber and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:24
S54	0	cushion with rubber with plastic and "33"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:39
S55	1109	cushion with rubber with plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:39
S56	857	cushion with rubber with plastic and (cap end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:39
S57	245	cushion with rubber with plastic and (cap end) and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:49

S58	2203	pad with rubber and plastic and (cap end) and level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:49
S59	2140	pad with rubber and plastic and (cap end) and (impact shock absorb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:49
S60	654	pad with rubber and plastic and (cap end) and (impact shock absorb) and layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:50
S61	768	pad with (thermoplastic rubber) and (abs plastic) and (cap end) and (impact shock absorb) and layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:50
S62	27	pad with ((thermoplastic rubber) and (abs plastic) with layers) and (cap end) and (impact shock absorb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:03
S67	3	((impact shock absorb) with pad) with ((thermoplastic rubber) and (abs plastic) with layers) and (cap end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:05
S68	1	((impact shock absorb) with cushion) with ((thermoplastic rubber) and (abs plastic) with layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:06
S69	4	((impact shock absorb) with pad) with ((thermoplastic rubber) and (abs plastic) with layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:05

S70	420	((impact shock absorb) with cushion) with (thermoplastic rubber) and (abs plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:06
S71	411	((impact shock absorb) with pad) with (thermoplastic rubber) and (abs plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:24
S77	222	(thermoplastic rubber) with (abs plastic) and density and (shock impact) and "528"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:32
S79	2348	(thermoplastic rubber) with (abs plastic) and density and (shock impact) and (pad cushion cap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:32
S80	1413	(thermoplastic rubber) with (abs plastic) and density and (shock impact) and (pad cushion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:33
S81	1017	(thermoplastic rubber) with (abs plastic) and density and (shock impact) and (pad cushion) and layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:57
S88	0	(thermoplastic adj rubber) with (abs plastic) and density and (shock impact) and (pad cushion) and layer and (fender bumper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:58
S89	10	(thermoplastic rubber) with (abs plastic) and density and (shock impact) and (pad cushion) and layer and (fender bumper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:01

S90	6	((("4,923,550") or ("4,596,734") or ("4,679,517"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:01
S94	14	rubber adj enclosed with plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:18
S95	26	("2483077"   "2577949"   "3242507"   "4164798").PN. OR ("4457032").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/04 14:17
S96	0	(thermoplastic rubber) adj enclosed with abs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:19
S97	15	(thermoplastic rubber) adj enclosed with (plastic abs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:20
S98	5	(pad cushion cap) and (thermoplastic rubber) adj enclosed with (plastic abs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:20
S99	2	("5940978").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:46